GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.06.2022

Version number 10 (replaces version 7)

Revision: 21.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: WAKOL D 3513 Cork Pre-Coating

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesives
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: WAKOL GmbH Bottenbacher Str. 30 D-66954 Pirmasens info@wakol.com +49 6331 8001 0
- Informing department: Product safety department. msds@wakol.de
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
 The mediat is not classified, according to the CP CLP negativitie
- The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Additional information:
- Contains 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.
- Safety data sheet available on request.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients · 3.2 Mixtures · Description: Adhesive · Dangerous components: CAS: 68610-51-5 >0.25-≤1% Poly(dicyclopentadiene-co-p-cresol) EINECS: 271-867-2 🚸 Repr. 2, H361; Aquatic Chronic 4, H413 Reg.nr.: 01-2119496062-39 CAS: 2682-20-4 < 0.0015% 2-methyl-2H-isothiazol-3-one EINECS: 220-239-6 🛞 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Reg.nr.: 01-2120764690-50 🔗 Skin Corr. 1B, H314; Eye Dam. 1, H318; 🚯 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); \bigstar Skin Sens. 1A, H317Specific concentration limit: Skin Sens. 1A; H317: $C \ge 0.0015$ % (Contd. on page 2)





Printing date 21.06.2022

Version number 10 (replaces version 7)

Revision: 21.06.2022

Trade name: WAKOL D 3513 Cork Pre-Coating

(Contd. of page 1)

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eve contact

Rinse opened eve for several minutes under running water. If symptoms persist, consult a doctor.

- *After swallowing* Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Dilute with plenty of water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Use only in well ventilated areas.

• Information about protection against explosions and fires: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• **Requirements to be met by storerooms and containers:** No special requirements.

· Information about storage in one common storage facility: Not required.

(Contd. on page 3)



Printing date 21.06.2022

Version number 10 (replaces version 7)

Revision: 21.06.2022

Trade name: WAKOL D 3513 Cork Pre-Coating

(Contd. of page 2)

• Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

68610-51-5 Poly(dicyclopentadiene-co-p-cresol)

Oral DNEL 0.16 mg/kg (conmsumer (long-term))

Dermal DNEL 0.8 mg/kg (conmsumer (long-term))

1.6 mg/kg (workwr (long-term))

Inhalative DNEL 13.9 mg/m³ (conmsumer (long-term))

1.1 mg/m³ (workwr (long-term))

· PNECs

68610-51-5 Poly(dicyclopentadiene-co-p-cresol)

PNEC 150.9 mg/l (purification plant)

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)





Printing date 21.06.2022

Version number 10 (replaces version 7)

Revision: 21.06.2022

Trade name: WAKOL D 3513 Cork Pre-Coating

(Contd. of page 3)

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical p	roperties
General Information	Ehrid
Physical state	Fluid White
Colour:	
Smell:	Like ammoniac
Odour threshold:	Not determined.
Melting point/freezing point:	$0 \ ^{\circ}C$
Boiling point or initial boiling point and boiling	100.00
range	100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Ignition temperature:	Not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	10 (ISO 976)
Viscosity:	
Kinematic viscosity	Not determined.
kinematic (calculated) at 40°C:	
dynamic at 20 °C:	100 mPas (ISO 2555)
Solubility	
Water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Steam pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C	0.98 g/cm ³ (EN ISO 2811-1)
Relative density	Not determined.
Vapour density	Not determined.
	Not actormited.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an environment, and on safety.	d
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
VOC	0.00 %
Solids content:	60.0 % (DIN EN 827.8.2)
Change in condition	
Evaporation rate	Not determined.
	(Contd. on page 5)



Printing date 21.06.2022

Version number 10 (replaces version 7)

Revision: 21.06.2022

(Contd. of page 4)

Trade name: WAKOL D 3513 Cork Pre-Coating

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

• LD/LC50 values that are relevant for classification:

68610-51-5 Poly(dicyclopentadiene-co-p-cresol)

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

Inhalative LC50 > 165 mg/l (rat)

2682-20-4 2-methyl-2H-isothiazol-3-one

Oral LD50 285 mg/kg (rat)

Dermal LD50 > 2,000 mg/kg (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



[–] GB



Version number 10 (replaces version 7)

Revision: 21.06.2022

(Contd. of page 5)

Trade name: WAKOL D 3513 Cork Pre-Coating

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

68610-51-5 Poly(dicyclopentadiene-co-p-cresol)

LC50/96h > 100 mg/l (Leuciscus idus)

LC50/48h > 100 mg/l (Leuciscus idus)

EC50 >1,000 mg/l (algas)

EC50/48h >1,000 mg/l (Daphnia magna)

IC50/72h >1,000 mg/l (algas)

2682-20-4 2-methyl-2H-isothiazol-3-one

LC50/96h 0.6 mg/l (Oncorhynchus mykiss)

12.4 mg/l (Lepomis macrochirus)

EC50/18h 2.3 mg/l (Pseudomonas putida)

EC50/48h 1.6 mg/l (Daphnia magna)

EC50/72h 0.157 mg/l (Pseudokirchneriella subcapitata)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation


Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

GB



Anspruch verb



Printing date 21.06.2022

Version number 10 (replaces version 7)

Revision: 21.06.2022

(Contd. of page 6)

Trade name: WAKOL D 3513 Cork Pre-Coating

• *Recommended cleaning agent: Water, if necessary together with cleansing agents.*

SECTION 14: Transport information

· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: 	Not applicable.	
 14.6 Special precautions for user 	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO		
instruments	Not applicable.	
• Transport/Additional information: • UN "Model Regulation":	Not dangerous according to the above specifications. Void	

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· GEV-Guidline/EMICODE: EC 1 plus, "very low emission"

VOC (EU) 0.0 g/l

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

- H410 Very toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.
- · Abbreviations and acronyms:

(Contd. on page 8) GB



ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)



Printing date 21.06.2022

Version number 10 (replaces version 7)

Revision: 21.06.2022

Trade name: WAKOL D 3513 Cork Pre-Coating

(Contd. of page 7) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Repr. 2: Reproductive toxicity – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

