Printing date 29.08.2023

Version number 11 (replaces version 10)

Revision: 29.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: WAKOL PU 270 Polyurethane Adhesive A

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesives
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: WAKOL GmbH Bottenbacher Str. 30 D-66954 Pirmasens info@wakol.com +49 6331 8001 0
- *Informing department:* Product safety department. msds@wakol.de
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Adhesive
- · Dangerous components: Void
- · Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact Clean with water and soap. If possible, also wash with polyethylene glycol 400.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 2)

GB



Printing date 29.08.2023

Version number 11 (replaces version 10)

Revision: 29.08.2023

(Contd. of page 1)

Trade name: WAKOL PU 270 Polyurethane Adhesive A

- After swallowing Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents
- *CO2*, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Use only in well ventilated areas.

• Information about protection against explosions and fires: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

• Storage

- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 3)



^{· 8.1} Control parameters



GB

Safety data sheet according to 1907/2006/EC, Article 31


Printing date 29.08.2023

Anspruch verbinde

Version number 11 (replaces version 10)

Revision: 29.08.2023

Trade name: WAKOL PU 270 Polyurethane Adhesive A



SECTION 9: Physical and chemical properties

General Information		
Physical state	Fluid	
Colour:	Light beige	
Smell:	Weak, characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and	boiling	
range	>300 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	$>250 \ ^{\circ}C$	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
kinematic (calculated) at 40°C:		
dynamic at 20 °C:	180 000 mPas (ISO 2555)	
~		(Contd. on page 4



Printing date 29.08.2023

Version number 11 (replaces version 10)

Revision: 29.08.2023

Trade name: WAKOL PU 270 Polyurethane Adhesive A

	(Contd. of page 3)
· Solubility	
· Water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Steam pressure at 20 °C:	<1 hPa
· Density and/or relative density	
· Density at 20 °C	1.65 g/cm ³ (EN ISO 2811-1)
· Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Pasty
Important information on protection of health an	d
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
·VOC	0.00 %
Change in condition	
• Evaporation rate	Not determined.
\cdot Information with regard to physical hazard classe	
· Explosives	Void
· Flammable gases	Void
·Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
• Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
• Self-heating substances and mixtures	Void
• Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
• Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void
-	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GF



Printing date 29.08.2023

Version number 11 (replaces version 10)

Revision: 29.08.2023

Trade name: WAKOL PU 270 Polyurethane Adhesive A

(Contd. of page 4)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$
- \cdot **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• *Recommendation Smaller* quantities can be disposed of with household waste.

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)



Printing date 29.08.2023

Version number 11 (replaces version 10)

Revision: 29.08.2023

Trade name: WAKOL PU 270 Polyurethane Adhesive A

 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 14.3 Transport hazard class(es) 	(Contd. of page 5) Void
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user 	Not applicable.
• 14.7 Maritime transport in bulk according to) IMO
instruments	Not applicable.
• Transport/Additional information: • UN "Model Regulation":	Not dangerous according to the above specifications. Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

• VOC (EU) 0.0 g/l

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative



Printing date 11.12.2023

Version number 11 (replaces version 10)

Revision: 11.12.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: WAKOL PU 270 Polyurethane Adhesive B

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Hardening agent/ Curing agent
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: WAKOL GmbH Bottenbacher Str. 30 D-66954 Pirmasens info@wakol.com +49 6331 8001 0
- Informing department: Product safety department. msds@wakol.de
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Carc. 2 H351 Suspected of causing cancer.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



· Signal word Danger

(Contd. on page 2)

⁻ GB

Printing date 11.12.2023

Anspruch verbing

Version number 11 (replaces version 10)

Revision: 11.12.2023

Trade name: WAKOL PU 270 Polyurethane Adhesive B

(Contd. of page 1)

GB

Hazard-determ	ining components of labelling:
diphenylmethan	nediisocyanate, isomeres and homologues
Hazard stateme	ents
H332 Harmful	if inhaled.
H315 Causes sh	kin irritation.
H319 Causes se	erious eye irritation.
H334 May caus	se allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May caus	se an allergic skin reaction.
H351 Suspected	d of causing cancer.
H335 May caus	e respiratory irritation.
H373 May caus	e damage to organs through prolonged or repeated exposure.
Precautionary	statements
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves / eye protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
Additional info	rmation:
Contains isocyc	inates. May produce an allergic reaction.
2.3 Other haza	rds
Results of PBT	and vPvB assessment
PBT: Not appli	cable.
vPvB: Not appl	licable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 9016-87-9diphenylmethanediisocyanate, isomeres and homologues $>50-\leq100\%$ EC number: 618-498-9Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute
Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1,
H317; STOT SE 3, H335, EUH204>100%

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation Supply fresh air; consult doctor in case of complaints.

• After skin contact Clean with water and soap. If possible, also wash with polyethylene glycol 400.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • *After swallowing* Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. (Contd. on page 3)



Printing date 11.12.2023

Version number 11 (replaces version 10)

Revision: 11.12.2023

Trade name: WAKOL PU 270 Polyurethane Adhesive B

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters

· Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

• Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- *Ensure adequate ventilation.*
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

(Contd. on page 4)

GB



(Contd. of page 2)



Printing date 11.12.2023

Version number 11 (replaces version 10)

Revision: 11.12.2023

(Contd. of page 3)

Trade name: WAKOL PU 270 Polyurethane Adhesive B

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters
Components with critical values that require monitoring at the workplace:
9016-87-9 diphenylmethanediisocyanate, isomeres and homologues
WEL Short-term value: 0.07 mg/m ³
Long-term value: 0.02 mg/m³ Sen; as -NCO
DNELs
9016-87-9 diphenylmethanediisocyanate, isomeres and homologues
Dermal DNEL 27.8 mg/kg/day (workers (Short-term))
DNEL 17.2 mg/cm ² (general population (short-term))
Inhalative DNEL 0.05 mg/m ³ (general population (short-term))
0.025 mg/m^3 (general population (long-term))
0.1 mg/m ³ (workers (Short-term))
0.05 mg/m ³ (workers (Long-term))
PNECs
9016-87-9 diphenylmethanediisocyanate, isomeres and homologues
PNEC 1 mg/l (Freshwater)
0.1 mg/l (Sea water)
10 mg/l (Water - partially release)
1 mg/l (Purification plant)
PNEC 1 mg/kg (Soil) Additional information: The lists valid during the making were used as basis.
8.2 Exposure controls
Appropriate engineering controls No further data; see section 7.
Individual protection measures, such as personal protective equipment
<i>General protective and hygienic measures</i> <i>The usual precautionary measures are to be adhered to when handling chemicals.</i>
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin. Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
Recommended filter device for short term use: Combination filter A-P2
Hand protection
Protective gloves
Preventive skin protection by use of skin-protecting agents is recommended. Material of gloves
Nitrile rubber, NBR
(Contd. on page



(Contd. on page 5) GB-



Printing date 11.12.2023

Version number 11 (replaces version 10)

Revision: 11.12.2023

Trade name: WAKOL PU 270 Polyurethane Adhesive B

(Contd. of page 4)

Recommended thickness of the material: $\geq 0.35 \text{ mm}$

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

General Information	-	
Physical state	Fluid	
Colour:	Brown	
Smell:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	10 °C	
Boiling point or initial boiling point and boiling		
range	>300 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	>200 °C	
Auto-ignition temperature:	>600 °C	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
kinematic (calculated) at 40°C:		
dynamic at 20 °C:	200 mPas (ISO 2555)	
Solubility		
Water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Steam pressure at 20 °C:	<0.00001 hPa	
Density and/or relative density		
Density at 20 °C	1.23 g/cm³ (EN ISO 2811-1)	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	



Printing date 11.12.2023

Version number 11 (replaces version 10)

Revision: 11.12.2023

Trade name: WAKOL PU 270 Polyurethane Adhesive B

	(Contd. of page 5	
Important information on protection of hea	ulth and	
environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
VOC	0.00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flam.	nable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with alcohols, amines, aqueous acids and alkalis.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

Harmful if inhaled.

· LD/LC50 values that are relevant for classification:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Oral LD50 >10,000 mg/kg (Rat) (OECD RL 401)

Dermal LD50 >9,400 mg/kg (rabbit) (OECD RL 402)

· Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 7)



⁻ GB -



Printing date 11.12.2023

Version number 11 (replaces version 10)

Revision: 11.12.2023

Trade name: WAKOL PU 270 Polyurethane Adhesive B

(Contd. of page 6)

Page 7/9

• *Respiratory or skin sensitisation* May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity

Suspected of causing cancer.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure

May cause respiratory irritation.

· STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

• Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

LC50/96h >1,000 mg/l (Danio rerio)

LC0/96h >1,000 mg/l (Brachydanio rerio)

EC50/24h > 100 mg/l (bacteriums)

EC50/48h > 1,000 mg/l (Daphnia magna)

EC50/3h > 100 mg/l (sludge) (OECD 209)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

(Contd. on page 8)





Version number 11 (replaces version 10)

Revision: 11.12.2023

(Contd. of page 7)

Page 8/9

Trade name: WAKOL PU 270 Polyurethane Adhesive B

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

SECTION 14: Transport informati	on
· 14.1 UN number or ID number	
· ADR, ADN, IMDG, IATA	Void
 14.2 UN proper shipping name 	
· ADR, ADN, IMDG, IATA	Void
- 14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according	to IMO
instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· VOC (EU) 0.0 g/l

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eve irritation.
- H332 Harmful if inhaled.
- *H334* May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

EUH204 Contains isocyanates. May produce an allergic reaction.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)



Printing date 11.12.2023

Anspruch verbin



Printing date 11.12.2023

Version number 11 (replaces version 10)

Revision: 11.12.2023

Trade name: WAKOL PU 270 Polyurethane Adhesive B

(Contd. of page 8) IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 GB

