GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.11.2023

Ansnruch verbing

Version number 11 (replaces version 10)

Revision: 29.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: WAKOL Z 625 Levelling Compound

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Knife filler/ Surfacer
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: WAKOL GmbH Bottenbacher Str. 30 D-66954 Pirmasens info@wakol.com +49 6331 8001 0
- *Informing department:* Product safety department. msds@wakol.de
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: Cement, portland, chemicals · Hazard statements H318 Causes serious eye damage. · Precautionary statements P261 Avoid breathing dust. P280 Wear protective gloves / eye protection. *P302+P352* IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2)



Printing date 29.11.2023

Version number 11 (replaces version 10)

Revision: 29.11.2023

Trade name: WAKOL Z 625 Levelling Compound

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

- · Description: Knifing filler / Surfacer
- · Dangerous components:

CAS: 1317-65-3 calcium carbonate EINECS: 215-279-6 substance with a Community workplace exposure limit

CAS: 65997-15-1 Cement, portland, chemicals

EINECS: 266-043-4 📀 Eye Dam. 1, H318; 🕦 Skin Irrit. 2, H315; STOT SE 3, H335

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing

Do not induce vomiting; call for medical help immediately.

- Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Avoid formation of dust.

• 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

(Contd. on page 3)



(Contd. of page 1)

>20-<25%

>5-<10%

Printing date 29.11.2023

Version number 11 (replaces version 10)

Revision: 29.11.2023

(Contd. of page 2)

Trade name: WAKOL Z 625 Levelling Compound

- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Use only in well ventilated areas.

- · Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in dry conditions.
- Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

1317-65-3 calcium carbonate

WEL Long-term value: 10* 4** mg/m³ *inhalable dust; **respirable

65997-15-1 Cement, portland, chemicals

WEL Long-term value: 10* 4** mg/m³
*inhalable dust **respirable dust
• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Breathing equipment:
- *Use suitable respiratory protective device in case of insufficient ventilation. If the occupational exposure limit is exceeded.*
- **Recommended filter device for short term use:** Filter P2

(Contd. on page 4)

GB





Printing date 29.11.2023

Version number 11 (replaces version 10)

Revision: 29.11.2023

Trade name: WAKOL Z 625 Levelling Compound

(Contd. of page 3)

· Hand protection Protective gloves Preventive skin protection by use of skin-protecting agents is recommended. · Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.35 mm The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Tightly sealed goggles · Body protection: Protective work clothing SECTION 9. Physical and chemical properties

| 9.1 Information on basic physical and chemical p | roperties | |
|--|-----------------|--------------------|
| General Information | | |
| Physical state | Solid | |
| Colour: | Grey | |
| Smell: | Odourless | |
| Odour threshold: | Not determined. | |
| Melting point/freezing point: | Undetermined. | |
| Boiling point or initial boiling point and boiling | | |
| range | Undetermined. | |
| - Flammability | Not determined. | |
| Lower and upper explosion limit | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Flash point: | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| pH at 20 °C | >11 | |
| Viscosity: | | |
| Kinematic viscosity | Not applicable. | |
| kinematic (calculated) at 40°C: | | |
| dynamic: | Not applicable. | |
| Solubility | | |
| Water: | Soluble. | |
| Partition coefficient n-octanol/water (log value) | Not determined. | |
| Steam pressure: | Not applicable. | |
| * | | (Contd. on page 5) |





Printing date 29.11.2023

Anspruch verbinde

/OKC

Version number 11 (replaces version 10)

Revision: 29.11.2023

Trade name: WAKOL Z 625 Levelling Compound

| | (Contd. of page 4) |
|---|---|
| Density and/or relative density | |
| Density at 20 °C | 2.75–3.2 g/cm ³ (EN ISO 2811-1) |
| Relative density | Not determined. |
| Vapour density | Not applicable. |
| 9.2 Other information | |
| Appearance: | |
| Form: | Powder |
| Important information on protection of heal | th and |
| environment, and on safety. | |
| Self-inflammability: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| VOC | 0.00 % |
| Solids content: | 100.0 % (DIN EN 827.8.2) |
| Change in condition | |
| Evaporation rate | Not applicable. |
| Information with regard to physical hazard of | classes |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flamm | able |
| gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB –

11.2023 Version number

Version number 11 (replaces version 10) R

Revision: 29.11.2023

Trade name: WAKOL Z 625 Levelling Compound

(Contd. of page 5)

• LD/LC50 values that are relevant for classification:

7778-18-9 calcium sulphate, natural

Oral LD50 >5,000 mg/kg (Rat)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards • Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• *PBT*: Not applicable.

• **vPvB:** Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary together with cleansing agents.

(Contd. on page 7)



Printing date 29.11.2023



Printing date 29.11.2023

Version number 11 (replaces version 10)

Revision: 29.11.2023

(Contd. of page 6)

Trade name: WAKOL Z 625 Levelling Compound

| SECTION 14: Transport information | on | |
|---|--|--|
| 14.1 UN number or ID number | | |
| ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name | | |
| ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| Class | Void | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: | | |
| Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk according | | |
| instruments | Not applicable. | |
| Transport/Additional information: | Not dangerous according to the above specifications. | |
| UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

- · GEV-Guidline/EMICODE: EC 1 plus, "very low emission"
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)



GB



Printing date 29.11.2023

Version number 11 (replaces version 10)

Revision: 29.11.2023

Trade name: WAKOL Z 625 Levelling Compound

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3



(Contd. of page 7)