GB

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.06.2023

Ansnruch verbing

Version number 11 (replaces version 10)

Revision: 21.06.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: WAKOL Z 635 Levelling Compound

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Knife filler/ Surfacer
- 1.3 Details of the supplier of the safety data sheet
  Manufacturer/Supplier: WAKOL GmbH Bottenbacher Str. 30 D-66954 Pirmasens info@wakol.com +49 6331 8001 0
- *Informing department:* Product safety department. msds@wakol.de
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

### **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: Cement, portland, chemicals · Hazard statements H318 Causes serious eye damage. · Precautionary statements P261 Avoid breathing dust. P280 Wear protective gloves / eye protection. *P302+P352* IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2)

Printing date 21.06.2023

Version number 11 (replaces version 10)

Revision: 21.06.2023

### Trade name: WAKOL Z 635 Levelling Compound

· 2.3 Other hazards

• Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Knifing filler / Surfacer

· Dangerous components:

CAS: 65997-15-1 Cement, portland, chemicals

EINECS: 266-043-4 🚸 Eye Dam. 1, H318; 🕩 Skin Irrit. 2, H315; STOT SE 3, H335

• Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4:** First aid measures

• 4.1 Description of first aid measures

· After inhalation Supply fresh air; consult doctor in case of complaints.

· After skin contact Immediately wash with water and soap and rinse thoroughly.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5:** Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

## **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

• 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)

GB



(Contd. of page 1)

>5-<10%



Printing date 21.06.2023

Version number 11 (replaces version 10)

Revision: 21.06.2023

Trade name: WAKOL Z 635 Levelling Compound

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers: No special requirements.

- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions: Store in dry conditions.*

Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust \*\*respirable dust

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

• Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

- If the occupational exposure limit is exceeded.
- Recommended filter device for short term use: Filter P2
- · Hand protection



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.35$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

GB



Printing date 21.06.2023

Anspruch verbindet

/0 K

Version number 11 (replaces version 10)

Revision: 21.06.2023

### Trade name: WAKOL Z 635 Levelling Compound

(Contd. of page 3)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

## • Eye/face protection

Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties			
$\cdot$ 9.1 Information on basic physical and chemical p	properties		
· General Information			
· Physical state	Solid		
· Colour:	Grey		
· Smell:	Odourless		
· Odour threshold:	Not determined.		
• Melting point/freezing point:	>1,250 °C		
· Boiling point or initial boiling point and boiling			
range	Undetermined.		
· Flammability	Not determined.		
· Lower and upper explosion limit			
· Lower:	Not determined.		
· Upper:	Not determined.		
· Flash point:	Not applicable.		
· Decomposition temperature:	Not determined.		
· pH at 20 °C	11 (ISO 976)		
· Viscosity:			
· Kinematic viscosity	Not applicable.		
· kinematic (calculated) at 40°C:	**		
· dynamic:	Not applicable.		
· Solubility			
· Water:	Soluble.		
· Partition coefficient n-octanol/water (log value)	Not determined.		
· Steam pressure:	Not applicable.		
· Density and/or relative density			
· Density at 20 °C	2.75–3.2 g/cm <sup>3</sup> (EN ISO 2811-1)		
· Relative density	Not determined.		
· Settled apparent density	900–1,300 kg/m <sup>3</sup>		
· Vapour density	Not applicable.		
• 9.2 Other information			
· Appearance:			
· Form:	Powder		
· Important information on protection of health an			
environment, and on safety.	***		
· Self-inflammability:	Product is not selfigniting.		
• Explosive properties:	Product ls not settigniting. Product does not present an explosion hazard.		
· VOC	0.00 %		
· Solids content:	100.0 % (DIN EN 827.8.2)		
Sound content.	(Contd. on page 5)		

GB -



Printing date 21.06.2023

Anspruch verbin

Version number 11 (replaces version 10)

Revision: 21.06.2023

#### Trade name: WAKOL Z 635 Levelling Compound

		(Contd. of page 4)
Change in condition		
Evaporation rate	Not applicable.	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	nable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

• LD/LC50 values that are relevant for classification:

7778-18-9 calcium sulphate, natural

*Oral LD50* > 5,000 mg/kg (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 21.06.2023

Version number 11 (replaces version 10)

Revision: 21.06.2023

### Trade name: WAKOL Z 635 Levelling Compound

- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

*Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.* 

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
• 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
• 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.	
• 14.7 Maritime transport in bulk according t	to IMO	
instruments	Not applicable.	
		(Contd. on page 7)

GB -



(Contd. of page 5)



Printing date 21.06.2023

Ansnruch verbing

*Version number 11 (replaces version 10)* 

Revision: 21.06.2023

(Contd. of page 6)

#### Trade name: WAKOL Z 635 Levelling Compound

• Transport/Additional information:

• UN "Model Regulation":

Not dangerous according to the above specifications. Void

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· GEV-Guidline/EMICODE: EC 1 plus, "very low emission"

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1* 

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3